

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

1. (Currently Amended) A device for packaging and dispensing several fluid products, ~~of the type~~ comprising at least two extraction pumps with parallel axes and at least two containers containing the products to be dispensed, ~~characterized in that~~ wherein the first pump ~~[[(8)]]~~ is mounted so that it can move axially in the chamber of the second pump ~~[[(9)]]~~, such that the movement of the first pump operates the second pump.

2. (Currently Amended) The device as claimed in claim 1, ~~characterized in that~~ which further it comprises a single push-button acting on the a piston of the first pump and ~~in that it comprises~~ means such that the movement of the push-button displaces the body of the first pump and the a piston ~~of the second pump~~ in the chamber of the second pump.

3. (Currently Amended) The device as claimed in ~~any one of the preceding claims~~ claim 1, ~~characterized in that~~ which further it comprises means for expelling the products ~~contained~~ in the containers sequentially.

4. (Currently Amended) The device as claimed in ~~any one of the preceding~~ claims claim 1, ~~characterized in that~~ wherein each pump comprises a dip tube communicating with independent containers.

5. (Currently Amended) The device as claimed in claim 4, ~~characterized in that~~ wherein each container ~~consists of~~ comprises a sealed flexible bag [(2, 3)] placed in the same single rigid container [(1)] and comprising means cooperating with at least one ring [(6)] for fastening to the rigid container and ~~with~~ to the pumps.

6. (Currently Amended) The device as claimed in claim 5, ~~characterized in that~~ which it comprises at least two bags [(2, 3)] combined with a single ring [(6)] for fastening to the container and to the pumps.

7. (Currently Amended) The device as claimed in ~~either of claims 5 and 6,~~ claim 5, ~~characterized in that~~ which it comprises two bags made from different materials.

8. (Currently Amended) The device as claimed in ~~any either of claims 5 and 6,~~ claim 5, ~~characterized in that~~ which it comprises two bags [(2', 3')], one inside the other, the neck of the larger bag surrounding that of the smaller one, a ~~sufficient~~ space being left between the two necks for filling ~~with~~ and expelling the product.

9. (Currently Amended) The device as claimed in ~~either of claims 5 and 6,~~
claim 5, ~~characterized in that~~ which it comprises two bags formed as a single piece,
in the form of a double bag comprising two compartments separated by a partition.

10. (Currently Amended) The device as claimed in ~~any one of claims 5 to 9,~~
claim 5, ~~characterized in that~~ wherein the bags are fastened by snapping their necks
onto the ring.

11. (Currently Amended) The device as claimed in ~~any one of claims 5 to 9,~~
claim 5, ~~characterized in that~~ wherein the bags are produced by injection-blow
molding or extrusion-blow molding a material chosen from among a polyethylene, a
polypropylene, a polyamide, and an ethylene/vinyl alcohol (EVOH) copolymer.

12. (Currently Amended) The device as claimed in ~~any one of claims 5 to 9,~~
claim 5, ~~characterized in that~~ wherein the bags are produced by welding a plastic or
metal film or a multilayer metal/plastic complex on a support forming the neck of the
bag.

13. (Currently Amended) The device as claimed in ~~any one of claims 5 to 12,~~
claim 5, ~~characterized in that~~ which further it comprises an air circuit between the
outside and the volume between the wall of the rigid container and the bags.

14. (Currently Amended) The device as claimed in claim 13, ~~characterized in that~~ wherein the air circuit consists of a vent in the wall of the rigid container, equipped with a valve and/or a filter.

15. (Currently Amended) The device as claimed in claim 13, ~~characterized in that~~ wherein the air circuit consists of a passage ~~[(21, 20)]~~ made in the ring and the body of the first pump, communicating with the space between the first pump and the push-button, and comprising means for closing it off when the pump is not actuated.

16. (Currently Amended) The device as claimed in claim 1, ~~characterized in that~~ which further it comprises juxtaposed or concentric product outlet nozzles, to ensure the mixing of the products from each bag.

17. (Currently Amended) The device as claimed in claim 16, ~~characterized in that~~ wherein the outlet nozzle comprises two concentric annular orifices ~~[(31)]~~ and ~~[(32)]~~ covered by the same elastic film ~~[(33)]~~ that can deform to allow the fluids coming from the pumps to exit.

18. (Currently Amended) The device as claimed in claim 16, ~~characterized in that the~~ wherein pump outlet ducts are joined to emerge in a common outlet nozzle wherein the mixing takes place.

19. (Currently Amended) The device as claimed in ~~any one of the preceding claims,~~ claim 1, ~~characterized in that~~ wherein the containers have different volumes.

20. (Currently Amended) The device as claimed in ~~any one of the preceding~~
~~claims, claim 1, characterized in that~~ wherein the volume of the a metering chamber
of each pump ~~[(8, 9)]~~ is proportional to the volume of the corresponding container.